


Uni-Ka 600M

UNI-KA COLLECTION:
Uni-ka 594, Uni-Ka 594M, Uni-Ka 595, Uni-Ka 595M, Uni-Ka 596, Uni-Ka 596M, Uni-Ka 597-DP, Uni-Ka 597-DR, Uni-Ka 597M-DP, Uni-Ka 597M-DR, Uni-Ka 598, Uni-Ka 598M, Uni-Ka 599, Uni-Ka 599M, Uni-Ka 600, Uni-Ka 601, Uni-Ka 600M, Uni-Ka 601M, Uni-Ka 604M, Uni-Ka 604, Uni-ka 591 4P, Uni-ka 591M-4P, Uni-ka 591-5R, Uni-ka 591M-5R,



Swivel armchair with central steel base. Upholstered polypropylene shell.

WEIGHT	PACK	PIECES PER BOX
13,5 Kg	0,34 m³	1

FINISHES SEATING


TE FABRICS




Melva
+ 5 colors




Fortis + 8 colori




Inca
+ 14 colors




Amsterdam
+ 8 colors




Medley Gabriel
+ 15 colors



Chili Gabriel
+ 8 colors



Mirage
+ 8 colors



Convert
+ 7 colors




Fenice
+ 8 colors



Mood Gabriel
+ 8 colors



Valencia
+ 14 colors




Reviva Hero
+ 10 colors



Fabthirty Rubelli
+ 8 colors




Ocean Mastrotto
+ 15 colors




Remix 3 Kvadrat
+ 15 colors

PP POLYPROPYLENE



NCS S4005-B20G
Squirrel grey
≡




NCS S4020-B10G Dusty blue
≡



NCS S6502-R Clay
≡



NCS S4005-Y50R Turtle-
dove
≡



NCS S3010-G50Y
Pistachio
≡



NCS S7502-B
Anthracite grey
≡




RAL 9005 Jet black
≡



NCS S3060-Y80R
Coral red
≡



NCS S0502-B
Traffic white
≡



NCS S7020-G50Y
Olive green
☀

NOTE

Resources

3ds



dwg



Shell in **olive green** is made of **100% recycled polypropylene** from industrial waste.

FRAMES


AC STEEL



NCS S4000-N VR White aluminium



NCS S9000-N VR Jet black



NCS S3060-Y80R Coral red




CR Chrome



NCS S9000-N VR Matt Jet Black



VR Rough metallic bronze



NCS S3060-Y Curry



NCS S7020-G50Y Olive green



NCS S4050-B40G Water blue



NCS S6030-B Capri blue



NCS S8005-Y20R Brown



NCS s0502-b VR Traffic white



NCS S4040-R Marsala



VR Pewter



NCS S0500-N VR Pure white



NCS S7502-B VR Anthracite grey

CERTIFICATIONS

> UNI/EN 16139:2013 - Par.6. Prova 8. Prova di fatica sedile e schienale: 2-Uso estremo (23/04/2017)