

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com

Date received: 18/04/19

Date of issue: 15/05/19

Report consists of 11 test reports.

Defects before testing: None

Sample name: Sedia mod. IRIS

GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

SAMPLE N° 270016

Overall dimensions: 500 x 540 x 860 (h) mm

List of test reports:

- 1. Safety requirements EN 16139:2013+AC:2013
- 2. Information for use EN 16139:2013+AC:2013
- 3. Seat and back static load test EN 1728:2012+AC:2013
- 4. Vertical load on back rest EN 1728:2012+AC:2013
- 5. Seat and back fatigue test EN 1728:2012+AC:2013
- 6. Seat front edge durability test EN 1728:2012+AC:2013
- 7. Leg forward static load test EN 1728:2012+AC:2013
- Leg sideways static load test EN 1728:2012+AC:2013
 Seat impact test EN 1728:2012+AC:2013
- 10. Back impact test EN 1728:2012+AC:2013
- 11. Stability EN 1022:2005



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

aging Director ndrea Giavon



CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com

SAMPLE N° 270016

Date of issue: Sample weight: Sample name: 15/05/19 Not determined Sedia mod. IRIS



Side view



Rear view



Bottom view



CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



TEST REPORT 270016 / 1

	•
Revision:	0
Date received:	18/04/19
Date of test:	19/04/19
Date of issue:	15/05/20
Sample name:	Sedia mo



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Safety requirements EN 16139:2013+AC:2013

Statement checked	Remarks
Corner and edges in contact with the users:	
Absence of sharp edges and corners	Yes
Edges on the handles:	
 Absence of sharp edges and corners in the direction of the force 	YHandles not present
Other edges:	
 Absence of sharp edges and corners 	Yes
Accessible hollow components:	
 The ends of hollow components are closed or capped 	Yes
Movable and adjustable parts:	
 It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally. 	Movable and adjustable parts not present
Connections between parts of the structure:	
 It shall not be possible for any load bearing part of the seating to come loose unintentionally 	Yes
Parts which are lubricated:	
• All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\ge 8 \text{ mm} \le 25 \text{ mm}$:	
Shear and squeeze points under influence of powered mechanism	Mechanism not present
 Shear and squeeze points during normal use and during normal movements and actions 	No
Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013:	YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anaging Director Dr. Andrea Giavon



Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 2

0

18/04/19

19/04/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Information for use EN 16139:2013+AC:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	Italian language
Information regarding the intended use (Annex B of EN 16139:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013:

YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.





Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016/3

n

18/04/19

19/04/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load	Back force	Number	Remarks
N	N	of cycles	
1.600	560	10	No defects

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 4

0

18/04/19

19/04/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Vertical load on back rest EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Vertical static load on back rest clause 6.6, EN 1728:2012+AC:2013

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 5

n

18/04/19

29/04/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

Seat force	Back force	Number	Remarks
N	N	of cycles	
1.000	300	100.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.





Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 6

n

18/04/19

10/05/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Seat front edge durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Seat front edge durability test clause 6.18, EN 1728:2012+AC:2013

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	50.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anaging Director Andrea Giavon



Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 7

n

18/04/19

13/05/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1

According to EN 1728:2012, horizontal force has been reduced from 500 N to 400 N, to avoid tipping.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anaging Director Mindrea Giavon



Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016/8

n

18/04/19

13/05/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon



Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 9

n

18/04/19

13/05/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	point A	10	No defects
25	240	geometric centre of single seating position	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.





Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 10

Λ

18/04/19

13/05/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Back impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013

Back impact test clause 6.25, EN 1728:2012+AC:2013

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013, level 1

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



Date received:

Date of test:

Date of issue:

Sample name:

TEST REPORT

270016 / 11

0

18/04/19

13/05/19

15/05/2019

Sedia mod. IRIS

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Braille, 5 20851 Lissone (MB) tel. +39 039 464567 lissone@catas.com



GABER S.R.L. VIA SCHIAVONESCA 75/1 31030 CASELLE DI ALTIVOLE (TV) ITALIA

Stability - EN 1022:2005

Type of chair: fixed geometry Minimum horizontal force for rearwards overturning of fixed back chair: 162 N

Forwards overturning Horizontal force	:	20 N	does not overturn
Rearwards overturning			
Fixed back chair Horizontal force	:	162 N	does not overturn
Tilting chair in the rearmost position Loading discs on the seat	:	//	
Sideways overturning for chairs with arms Horizontal force	:	//	
Sideways overturning for chairs without arms Horizontal force	:	20 N	does not overturn
Forwards overturning for chairs with footrest Horizontal force	:	//	

The test result complies with the requirements of EN 1022:2005.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anaging Director Andrea Giavon